

RECEIVED

LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

PTO FORM 1449



ATTY. DOCKET NO.

00801.0087.CNUS06

APPLICATION NO.

09/731, 222
09/756, 836

APPLICANT

Turpen et al.

FILING DATE

April 18, 2001

GROUP

1636

MAY 08 2002

TECH CENTER 1600/2900

U.S. PATENT DOCUMENTS

*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
82	*	4,885,248	12/5/1989	Ahlquist	435	172.3	3/9/1987
81	*	5,173,410	12/22/1992	Ahlquist	435	091	10/3/1989
81	*	5,466,788	11/14/1995	Ahlquist	536	24.1	8/25/1994
81	*	5,500,360	3/19/1996	Ahlquist et al.	435	172.3	3/14/1994
81	*	5,602,242	2/11/1997	Ahlquist et al.	536	23.72	5/22/1995
81	*	5,627,060	5/6/1997	Ahlquist et al.	435	172.3	6/7/1995
81	*	5,633,447	5/27/1997	Ahlquist et al.	800	205	6/2/1995
81	*	5,670,353	9/23/1997	Ahlquist et al.	435	172.3	6/2/1995
81		6,232,099	5/15/01	Chapman, et al.	435	69.3	04/28/97

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
							YES	NO
82		WO 96/12027	4/25/96	PCT			X	
82		63-14693	1/1988	Japan				
82		067,553	12/22/82	EPO				
81	*	194,809	9/1986	EPO				
81	*	278,667	8/17/88	EPO				
81	*	AU,B,7 195 191	3/1992	Australia				
81	*	EP,A,O 425 004	5/1991	EPO				
81	*	WO,A,91 13994	9/1991	PCT				
81	*	WO,A,90 12107	10/1990	PCT				
81	*	EP,A,O 479 180	4/1992	EPO				
81	*	EP,A,O 573 767	12/1993	EPO				

PER MS

<i>2</i>	*	WO,A,89 08145	9/1989	PCT				
	*	61/158443	1986 / 7	Japan (Okada and Han)				
	*	63/200789	1988 / 8	Japan (Okada and Takamatsu)				
	*	WO 92/18618	1992 / 10	PCT (Lomonossoff and Johnson)				
<i>2</i>	*	174,759	1985 3/86	EPO (James et al.)				
	*	WO 93/JP408	1993	PCT (Hamamoto et al.)				
<i>2</i>	*	WO 95/21248	2/1995	PCT				
	*	WO 93/03161	2/1993	PCT				
	*	0 672 754 A1	3/1993	EPO				
	*	WO 91/15587	4/1991	PCT				
<i>2</i>	*	WO 9602649A1	2/1996	PCT				

OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)

<i>2</i>	*	Ahlquist et al., "Viral Vectors," Cold Spring Harbor Laboratory, New York 183-189 (1988)
	*	Ahlquist and Pacha, <i>Physiol. Plant.</i> 79:163-167 (1990)
	*	Barton et al., <i>Plant Physiol.</i> 85:1103-1109 (1987)
	*	Bruening, G., "Comovirus group, C.M.I./A.A.B. Descriptions of plant viruses," No. 199. Wm. Culross and Son Ltd., Coupar Angus, Perthshire, Scotland. (1978)
	*	Butler and Mayo, "Molecular architecture and assembly of tobacco mosaic virus particles," <i>The molecular biology of the positive strand RNA Viruses</i> , Academic Press, London:237-257 (1987)
	*	Cassidy and Nelson, <i>Phytopathology</i> 80:1037 (1990)
	*	Chapman et al., <i>Plant Journal</i> 2:549 (1992)
	*	Charoenvit et al., "Inability of malaria vaccine to induce antibodies to a protective epitope within its sequence," <i>Science</i> 251:668-671 (1991)
	*	Charoenvit et al., "Monoclonal, but not polyclonal, antibodies protect against Plasmodium yoelii sporozoites," <i>J. Immunol.</i> 146:1020-1025 (1991)
	*	Citovsky and Zambryski, <i>BioEssays</i> 13:373-379 (1991)
	*	Culver et al., in press, <i>Virology</i>
	*	Dawson and Hilf, <i>Ann. Rev. Plant Physiol. Plant Mol. Biol.</i> 43:527-555 (1992)
<i>2</i>	*	Dawson et al., "cDNA cloning of the complete genome of tobacco mosaic virus and production of infectious transcripts," <i>Proc. Natl. Acad. Sci. USA</i> 83:1832-1836 (1986)

09/131, 242


92	*	Dawson <i>et al.</i> , "Modifications of the tobacco mosaic virus coat protein gene affecting replication, movement, and symptomatology," <i>Phytopathol.</i> <u>78</u> :783-789 (1988)
	*	Dawson <i>et al.</i> , "A tobacco mosaic virus-hybrid expresses and loses an added gene," <i>Virology</i> <u>172</u> :285-292 (1989)
	*	Dawson, <i>Adv. Virus Res.</i> <u>38</u> :307-342 (1990)
	*	Dawson, <i>Virology</i> <u>186</u> :359-367 (1992)
	*	Deom <i>et al.</i> , "Plant-Virus Movement Proteins," <i>Cell</i> <u>69</u> :221-224 (1992)
	*	Deom <i>et al.</i> , <i>Science</i> <u>237</u> :389-394 (1987)
	*	Dolja <i>et al.</i> , <i>Proc. Natl. Acad. Sci. USA</i> <u>89</u> :10208 (1992)
	*	Donson <i>et al.</i> , "Systemic expression of a bacterial gene by a tobacco mosaic virus-based vector," <i>Proc. Natl. Acad. Sci. USA</i> <u>88</u> :7204-7208 (1991)
	*	Dunsmuir <i>et al.</i> , "Stability of introduced genes and stability of expression," <i>Plant Molecular Biology Manual</i> , Kluwer Academic Publishers, Dordrecht, The Netherlands:C1:1-17 (1988)
	*	Fitchen <i>et al.</i> , "Plant virus expressing hybrid coat protein with added murine epitope elicits autoantibody response," <i>Vaccine</i> <u>13</u> :1051-1057 (1995)
	*	French <i>et al.</i> , "Bacterial gene inserted in an engineered RNA virus: Efficient expression in monocotyledonous plant cells," <i>Science</i> <u>231</u> :1294-1297 (1986)
	*	Gibbs, A.J., "Tobamovirus group, C.M.I./A.A.B. Descriptions of plant viruses," No. 184. Wm. Culross and Son Ltd., Coupar Angus, Perthshire, Scotland (1977)
	*	Goelet <i>et al.</i> , "Nucleotide sequence of tobacco mosaic virus RNA," <i>Proc. Natl. Acad. Sci. USA</i> <u>79</u> :5818-5822 (1982)
	*	Gooding, Jr., G.V., and Hebert, T.T., "A simple technique for purification of tobacco mosaic virus in large quantities," <i>Phytopathology</i> <u>57</u> :1285 (1967).
	*	Hamamoto <i>et al.</i> , "A new tobacco mosaic virus vector and its use for the systemic production of angiotensin-converting enzyme inhibitor in transgenic tobacco and tomato," <i>Bio/Technology</i> <u>11</u> :930-932 (1993)
	*	Haynes <i>et al.</i> , "Development of a genetically-engineered, candidate polio vaccine employing the self-assembling properties of the tobacco mosaic virus coat protein," <i>Bio/Technology</i> <u>4</u> :637-641 (1986)
	*	Horsch <i>et al.</i> , "Leaf disc transformation," <i>Plant Molecular Biology Manual</i> , Kluwer Academic Publishers, Dordrecht, The Netherlands:A5:1-9 (1988)
	*	Jagadish <i>et al.</i> , "High Level Production of Hybrid otybirus-like Particles Carrying Repetitive Copies of Foreign Antigens in Escherichia coli," <i>Bio/Technology</i> <u>11</u> :1166-1170 (1993)
	*	Joshi and Joshi, <i>FEBS Letters</i> <u>281</u> :1-8 (1991)
	*	Joshi <i>et al.</i> , "BSMV genome mediated expression of a foreign gene in dicot and monocot plant cells," <i>EMBO J.</i> <u>9</u> :2663-2669 (1990)
92	*	Jupin <i>et al.</i> , <i>Virology</i> <u>178</u> :273-280 (1990)

09/731, 242

82	*	Kearny <i>et al.</i> , <i>Virology</i> <u>192</u> :000-000 (in press) (1993)
	*	Krebbers <i>et al.</i> , "Prospects and progress in the production of foreign proteins and peptides in plants," <i>Plant Protein Engineering</i> . (P.R. Shewry and S. Gutteridge, eds.), Cambridge University Press, Cambridge, pp. 315-325 (1992)
	*	Kumagai <i>et al.</i> , "Rapid, high level expression of biologically active α -trichosanthin in transfected plants by a novel RNA viral vector," <i>Proc. Natl. Acad. Sci USA</i> <u>90</u> :427-430 (1993)
	*	Larkins <i>et al.</i> , <i>J. Cell. Biochem. Suppl.</i> <u>0(9 Part C)</u> :264 (1985)
	*	Martelli, <i>Plant Disease</i> <u>76</u> :436 (1992)
	*	Mason <i>et al.</i> , "Expression of hepatitis B surface antigen in transgenic plants," <i>Proc. Natl. Acad. Sci. USA</i> <u>89</u> :11745-11749 (1992)
	*	Ogawa <i>et al.</i> , <i>Virology</i> <u>185</u> :580-584 (1991)
	*	Ow <i>et al.</i> , <i>Science</i> <u>234</u> :856 (1986)
	*	Pelham, H.R.B., "Leaky UAG termination codon in tobacco mosaic virus RNA," <i>Nature</i> <u>272</u> :469-471 (1978)
	*	Porta <i>et al.</i> , "Development of Cowpea Mosaic Virus as a High-Yielding System for the Presentation of Foreign Peptides," <i>Virology</i> <u>202</u> :949-955 (1994)
	*	Potrykus, <i>Ann. Rev. Plant Physiol. Plant Mol. Biol.</i> <u>42</u> :205-225 (1991)
	*	Raffo and Dawson, "Construction of Tobacco Mosaic Virus Subgenomic Replicons that are Replicated and Spread Systemically in Tobacco Plants," <i>Virology</i> <u>184</u> :277-289 (1991)
	*	Rowlands <i>et al.</i> , eds., <i>Academic Press, London</i> , pp. 237-257 (1987)
	*	Saito <i>et al.</i> , <i>Virology</i> <u>176</u> :329-336 (1990)
	*	Shaw, "Chloramphenicol acetyltransferase from chloramphenicol-resistant bacteria," <i>Methods in Enzymology</i> <u>53</u> :737-755 (1975)
	*	Skuzeski <i>et al.</i> , "The signal for a leaky UAG stop codon in several plant viruses includes the two downstream codons," <i>J. Mol. Biol.</i> <u>218</u> :365-373 (1991)
	*	Takamatsu <i>et al.</i> , <i>J. Virol.</i> <u>65</u> :1619-1622 (1991)
	*	Takamatsu <i>et al.</i> , <i>J. Virol.</i> <u>64</u> :3686-3693 (1990)
	*	Takamatsu <i>et al.</i> , "Expression of bacterial chloramphenicol acetyltransferase gene in tobacco plants mediated by TMV-RNA," <i>EMBO J.</i> <u>6</u> :307-311 (1987)
	*	Takamatsu <i>et al.</i> , "Production of enkephalin in tobacco protoplasts using tobacco mosaic virus RNA vector," <i>FEBS Lett.</i> <u>269</u> :73-76 (1990)
	*	Turpen and Dawson, "Transgenic Plants, Fundamentals and Applications," <i>Marcel Dekkar, New York</i> , pp. 195-217 (1992)
✓	*	Turpen, "Ph.D. Dissertation," <i>University of California, Riverside</i> , pp. 72-87 (1992)
82	*	Turpen, "Ph.D. Dissertation," <i>University of California, Riverside</i> , pp. 85-105 (1992)

09/1731, 242

02	*	Turpen, "Ph.D. Dissertation," <i>University of California, Riverside</i> , pp. 106-132 (1992)
	*	Turpen and Dawson, "Amplification, movement and expression of genes in plants by viral-based vectors," <i>Marcel Dekkar, New York</i> , pp. 195-217
	*	Turpen, T.H., "a Molecular Genetic Analysis of Host/Viral Interactions, Implications for the Use of Plant RNA Viruses as Gene Vectors," <i>Chem. Abstracts</i> <u>120(9)</u> :97427 (1992)
	*	Turpen <i>et al.</i> , "Malarial Epitopes Expressed on the Surface of Recombinant Tobacco Mosaic Virus," <i>Bio/Technology</i> <u>10</u> :53-57 (1995)
	*	Usha <i>et al.</i> , "Expression of an animal virus antigenic site on the surface of a plantvirus particle," <i>Virology</i> <u>197</u> :366-374 (1993)
	*	Van Haute <i>et al.</i> , <i>EMBO J.</i> <u>2</u> :411-417 (1983)
	*	Von Kammen <i>et al.</i> , "Cowpea mosaic virus, C.M.I./A.A.B. Descriptions of plant viruses," No. 197, <i>Wm. Culross and Son Ltd., Coupar Angus, Perthshire, Scotland</i> , pp. 1-5 (1978)
	*	Venton and Schell, <i>NAR</i> <u>13</u> :6981 (1985)
	*	Walden and Schell, <i>Eur. J. Biochem.</i> <u>192</u> :563-576 (1990)
	*	Weiss <i>et al.</i> , "A T cell clone directed at the circumsporozoite protein which protects mice against both <i>Plasmodium yoelii</i> and <i>Plasmodium berghei</i> ," <i>J. Immunol.</i> <u>149</u> :2103-2109 (1992)
	*	Yamaya <i>et al.</i> , <i>Mol. Gen. Genet.</i> <u>211</u> :520-525 (1988)
	*	Zaitlin <i>et al.</i> , "Tobacco mosaic virus (type strain), C.M.I./A.A.B. Descriptions of plant viruses," No. 151, <i>Wm. Culross and Son Ltd., Coupar Angus, Perthshire, Scotland</i> , pp. 1-6 (1975)
✓	*	Zaitlin and Hull, <i>Ann. Rev. Plant Physiol.</i> <u>38</u> :291-315 (1987)
02	*	Zambryski <i>et al.</i> , <i>EMBO J.</i> <u>2</u> :2143-2150 (1983)
EXAMINER		DATE CONSIDERED
David Szyg		9/1/02
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.		



RECEIVED

AUG 06 2001

File Copy
Page 1 of 1

Form PTO 1449		
ATTY DOCKET NO. 89-99	SERIAL NO. 09/731,242	FILING DATE December 6, 2000
APPLICANT Kranz et al.		GROUP 1645

TECH CENTER 1600/2900 09/731, 242

U.S. PATENT DOCUMENTS

Exmr Initial		Document Number	Date (dd-mm-yyyy)	Name	Class	Subclass	Filing Date if Appropriate
<i>g</i>	1	5,861,156	01/19/1999	George et al.	424	135.1	

FOREIGN PATENT DOCUMENTS

		Document Number	Date	Country	Class	Subclass	Translation Yes/No

OTHER PRIOR ART (including Author, Title, Date, Pertinent Pages, etc.)

<i>g</i>	2		Weidanz, Jon A. et al. (August 1998) "Display of functional $\alpha\beta$ single-chain T-cell receptor molecules on the surface of bacteriophage" <i>Journal of Immunological Methods</i> 221:59-76.
<i>g</i>	3		Shusta, E.V. et al. (1999) "Yeast Polypeptide Fusion Surface Display Levels Predict Thermal Stability and Soluble Secretion Efficiency" <i>Academic Press</i> 292:949-956.
<i>g</i>	4		Lake, D.F. et al. (January 1999) "Construction and binding analysis of recombinant single-chain TCR derived from tumor-infiltrating lymphocytes and a cytotoxic T lymphocyte clone directed against MAGE-1" <i>International Immunology</i> 11:745-751.
<i>g</i>	5		Kumar, V. et al. (1997) "Recombinant T Cell Receptor Molecules Can Prevent and Reverse Experimental Autoimmune Encephalomyelitis" <i>The Journal of Immunology</i> 159:5150-5156.

EXAMINER <i>David Szyo</i>	DATE CONSIDERED 9/1/02
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

Form PTO-1449

ATTY DOCKET NO. 89-99

SERIAL NO. 09/731,242

FILING DATE December 6, 2000

APPLICANT Kranz et al.

GROUP 1645 / 636

00131 AM 2:30

RECEIVED
TECH CENTER 1600/2900

U.S. PATENT DOCUMENTS

Exmr. Initial	Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate
<i>92</i>	RE 35,500	05/06/97	Rhodes	424	1.49	
	3,817,837	06/18/74	Rubenstein et al.	195	103.5	
	3,850,752	11/26/74	Schuurs et al.	195	103.5	
	3,927,193	12/16/75	Hansen et al.	424	1	
	3,939,350	02/17/76	Kronick et al.	250	365	
	3,996,345	12/07/76	Ullman et al.	424	12	
	4,275,149	06/23/81	Litman et al.	435	7	
	4,277,437	07/07/81	Maggio	422	61	
	4,331,647	05/25/82	Goldenberg	424	1	
	4,348,376	09/07/82	Goldenberg	424	1	
	4,361,544	11/30/82	Goldenberg	424	1	
	4,366,241	12/28/82	Tom et al.	435	7	
	4,444,744	04/24/84	Goldenberg	424	1.1	
	4,468,457	08/28/84	Goldenberg et al.	435	69	
	4,640,561	02/03/87	George	339	17	
	4,713,332	12/15/87	Mak	435	70	
	4,831,122	05/16/89	Buchsbaum et al.	530	389	
	4,873,190	10/10/89	Saito et al.	435	172.3	
	4,874,845	10/17/89	Saito et al.	530	395	
	4,923,799	05/08/90	Mak	435	6	
	4,970,296	11/13/90	Saito et al.	530	323	
	5,024,940	06/18/91	Brenner et al.	435	69.1	
	5,059,413	10/22/91	Reardan et al.	424	4.1	
<i>2</i>	5,101,827	04/07/92	Goldenberg	128	653.4	

Form PTO-1449		
ATTY DOCKET NO. 89-99	SERIAL NO. 09/731,242	FILING DATE December 6, 2000
APPLICANT Kranz et al.		GROUP 1645/636

<i>92</i>		5,185,250	02/09/93	Brenner et al.	435	69.3
		5,299,253	03/29/94	Wessels	378	163
		5,316,925	05/31/94	Davis et al.	435	91.2
		5,340,921	08/23/94	Brenner et al.	530	350
		5,348,867	09/20/94	Georgiou et al.	435	69.7
		5,498,530	03/12/96	Schatz	435	69.1
		5,580,961	12/03/96	Saito et al.	530	395
		5,601,822	02/11/97	Brenner et al.	424	144.1
		5,614,192	03/25/97	Vandenbark	424	185.1
		5,635,363	06/03/97	Altman et al.	435	7.24
		5,723,309	03/03/98	Bonneville	435	69.1
		5,738,996	04/14/98	Hodges	435	7.1
		5,763,733	06/09/98	Whitlow et al.	530	387.3
		5,767,260	06/16/98	Whitlow et al.	536	23.4
		5,789,208	08/04/98	Sharon	435	91.41
		5,824,483	10/20/98	Houston, Jr., et al.	435	7.1
		5,837,477	11/17/98	Germain et al.	435	7.24
		5,840,304	11/24/98	Davis et al.	424	192.1
		5,866,363	02/02/99	Pieczenik	435	69.1
		5,869,620	02/09/99	Whitlow et al.	530	387.3
		5,871,907	02/16/99	Winter et al.	435	6
		5,882,945	03/16/99	Saito et al.	436	547
		5,948,409	09/07/99	Germain et al.	424	193.1
		5,969,108	10/19/99	McCafferty et al.	530	387.3
<i>92</i>		5,977,321	11/02/99	Saito et al.	530	388.75
<i>92</i>		6,017,732	01/25/00	Jespers, et al.	435	69.6

Form PTO-1449		
ATTY DOCKET NO. 89-99	SERIAL NO. 09/731,242	FILING DATE December 6, 2000
APPLICANT Kranz et al.		GROUP 1645 1636

FOREIGN PATENT DOCUMENTS

		Document Number	Date	Country	Class	Subclass	Translation Yes/No

OTHER PRIOR ART (including Author, Title, Date, Pertinent Pages, etc.)

<i>je</i>			Alam, S.M. et al., (Feb 1999), "Qualitative and Quantitative Differences in T Cell Receptor Binding of Agonist and Antagonist Ligands," <i>Immunity</i> 10:227-237
			Alberti, S., (1996), "A high affinity T cell receptor?," <i>Immunol. Cell Biol.</i> 74:292-297
			Altschul, S.F. et al., " Gapped BLAST and PSI-BLAST: a new generation of protein database search programs" (Sept. 1997) <i>Nucleic Acids Research</i> 25(17):2278-3402
			Baldwin, R.W. and Byers, V.S., (Editors) (1985), <u>Monoclonal Antibodies for Cancer Detection and Therapy</u> , London Academic Press pp. 159-179
			Beeson, C. et al., (Aug 1996), "Early Biochemical Signals Arise from Low Affinity TCR-Ligand Reactions at the Cell-Cell Interface," <i>J. Exp. Med.</i> 184:777-782
			Bevan, M.J., "In Thymic Selection, Peptide Diversity Gives and Takes Away" (Aug. 1997), <i>Immunity</i> 7:175-178
			Boder, E.T. et al., " Directed Evolution of Antibody Fragments with Monovalent Femtomolar Antigen-binding Affinity" (September 2000) <i>Proc. Nat'l. Acad. Sci. USA</i> 97(20):10701-10705
			Boder, E.T. and Wittrup, K.D., (Feb. 1998), "Optimal Screening of Surface-Displayed Polypeptide Libraries," <i>Biotech. Progress</i> 14(1):55-62
<i>je</i>			Boniface, J.J. et al., (Sept 1999), "Thermodynamics of T cell receptor binding to peptide-MHC: Evidence for a general mechanism of molecular scanning" <i>Proc. Natl. Acad. Sci. USA</i> 96:11446-11451

Form PTO-1449		
ATTY DOCKET NO. 89-99	SERIAL NO. 09/731,242	FILING DATE December 6, 2000
APPLICANT Kranz et al.		GROUP 1645 1636

✓		Buchwalder, A. et al., (1994), "Immunochemical and Molecular Analysis of Antigen Binding to Lipid Anchored and Soluble Forms of an MHC Independent Human α/β T Cell Receptor," Mol. Immunol. 31 (11):857-872
		Callan, M.F. et al., (1995), "Selection of T cell receptor variable gene-encoded amino acids on the third binding site loop: a factor influencing variable chain selection in a T cell response," Eur. J. Immunol. 25 :1529-1534
		Cheng, Y.C., "Relationship Between The Inhibition Constant (K_i) and the Concentration of Inhibitor Which Causes 50 Per Cent Inhibition (I_{50}) of an Enzymatic Reaction" (1973), Biochem. Pharm. 22 :3099-3108
		Cho, B.K. et al., "A yeast surface display system for the discovery of ligands that trigger cell activation." (Nov 1988) J. Immunol Methods (Netherlands) 220 :179-88
		Chung, S. et al., (Dec 1994), "Functional three-domain single-chain T-cell receptors," Proc. Natl. Acad. Sci. USA 91 :12654-12658
		Clackson, T. et al., (August 1991) "Making antibody fragments using phage display libraries" Nature 352 :624-628
		Dal Porto, J. et al., (1993), "A soluble divalent class I major histocompatibility complex molecule inhibits alloreactive T cells at nanomolar concentrations" Proc. Natl. Acad. Sci. USA 90 :6671-6675
		Davis, M.M. and Bjorkman, D.J., (Aug 1988), "T-cell antigen receptor genes and T-cell recognition," Nature 334 :395-402
		Davis et al., (Annual -1998), "Ligand Recognition by $\alpha\beta$ T Cell Receptors," Annu. Rev. Immunol. 16 :523-544
		Davis, M.M. and Chien, Y., (1993), "Topology and affinity of T-cell receptor mediated recognition of peptide-MHC complexes," Curr. Opin. Immunol. 5 :45-49
		de Kruif, J. and Logtenberg, T., (Mar 1996), "Leucine Zipper Dimerized Bivalent and Bispecific scFv Antibodies from a Semi-synthetic Antibody Phage Display Library," Amer. Soc. Biochem. Mol. Biol. 271 (13):7630-7634
		Eisen, H. N. et al., (1996), "Antigen-Specific T-Cell Receptors And Their Reactions With Complexes Formed By Peptides With Major Histocompatibility Complex Proteins" Adv. Protein Chem. 49 :1-56
✓		Faber, K.N. et al., (1995), "Review: Methyloleophilic Yeasts as Factories for the Production of Foreign Proteins" Yeast 11 :1331-1344
✓		Foote, J. and Eisen, H.N., (Sept. 2000) "Breaking the affinity ceiling for antibodies and T cell receptors" PNAS 97 (20):10679-10681

Form PTO-1449		
ATTY DOCKET NO. 89-99	SERIAL NO. 09/731,242	FILING DATE December 6, 2000
APPLICANT Kranz et al.		GROUP 1645 1636

gr			Furukawa, k. et al., "Junctional Amino Acids Determine the Maturation Pathway of an Antibody" (Sept.1999), Immunity 11:329-338
			Ganju, R.K. et al., (Dec 1992), "Similarity between fluorescein-specific T-cell receptor and antibody in chemical details of antigen recognition," Proc. Natl. Acad. Sci. USA 89:11552-11556
			Garcia, K.C. et al. "An α B T Cell Receptor Structure at 2.5 Å and Its Orientation in the TCR-MHC Complex" (Oct. 1996), Science 274:209-219
			Garcia, K.C. et al., "CD8 enhances formation of stable T-cell receptor/MHC class I molecule complexes" (December 1996), Nature 384:577-581
			Garcia, K.C. et al., (Dec 1997), " $\alpha\beta$ T cell receptor interactions with syngeneic and allogeneic ligands: Affinity measurements and crystallization," Proc. Natl. Acad. Sci. USA 94:13838-13843
			Garcia, K.C. et al., "Structural Basis of Plasticity in T Cell Receptor Recognition of a Self Peptide-MHC Antigen" (Feb. 1998) Science 279:1166-1172
			Gascoigne, N.R. et al., (May 1987), "Secretion of a chimeric T-cell receptor-immunoglobulin protein," Proc. Natl. Acad. Sci. USA 84:2936-2940
			Gellissen, G. et al., (1992) "Progress in developing methylotrophic yeasts as expression systems" Tibtech 10:413-417
			Geitz, R.D. et al., (1995), "Studies on the Transformation of Intact Yeast Cells by the LiAc/SS-DNA/PEG Procedure" Yeast 11:355-360
			Hare, B.J. et al., (June 1999), "Structure, specificity and CDR mobility of a class II restricted single-chain T-cell receptor" Nat. Struct. Biol. 6:574-581
			Hilyard, K.L. et al., (Sept 1994), "Binding of soluble natural ligands to a soluble human T-cell receptor fragment produced in Escherichia coli," Pro. Natl. Acad. Sci. USA 91:9057-9061
			Holler, P.D. et al., (May 2000), "In vitro evolution of a T cell receptor with high affinity for peptide/MHC," PNAS 97(10):5387-5392
			Huse, W. D. et al., (Dec 1989), "Generation of a Large Combinatorial Library of the Immunoglobulin Repertoire in Phage Lambda," Science 246:1275-1281
✓			Jorgensen, J.L. et al., (Jan 1992), "Mapping T-cell receptor-peptide contacts by variant peptide immunization of single-chain transgenics," Nature 355:224-230
gr			Kappler, J. et al., (Aug 1994), "Binding of a soluble $\alpha\beta$ T-cell receptor to superantigen/major histocompatibility complex ligands," Proc. Natl. Acad. Sci. USA 91:8462-8466

Form PTO-1449		
ATTY DOCKET NO. 89-99	SERIAL NO. 09/731,242	FILING DATE December 6, 2000
APPLICANT Kranz et al.		GROUP 1645 / 636

g		Kieke, M.C. et al., (May 1999), "Selection of functional T cell receptor mutants from a yeast surface-display library," <i>Proc. Natl. Acad. Sci. USA</i> 96 (10):5651-5656
		Kipriyanov, S. M. et al., (Apr 1997), "Two amino acid mutations in an anti-human CD3 single chain Fv antibody fragment that affect the yield on bacterial secretion but not the affinity," <i>Protein Eng.</i> 10 (4):445-453
		Kowalski, J. M. et al., (Feb 1998), "Secretion efficiency in <i>Saccharomyces cerevisiae</i> of bovine pancreatic trypsin inhibitor mutants lacking disulfide bonds is correlated with thermodynamic stability," <i>Biochemistry</i> 37 (5):1264-1273
		Kowalski, J.M. et al., (July 1998), "Protein folding stability can determine the efficiency of escape from endoplasmic reticulum quality control," <i>J. Biol. Chem.</i> 273 (31):19453-19458
		Letourneur, F. and Malissen, B., (1989), "Derivation of a T cell hybridoma variant deprived of functional T cell receptor α and β chain transcripts reveals a nonfunctional α -mRNA of BW5147 origin" <i>Eur. J. Immunol.</i> 19 (12):2269-2274
		Manning, T. C. et al., (Apr 1998), "Alanine Scanning Mutagenesis of an $\alpha\beta$ T cell Receptor: Mapping the Energy of Antigen Recognition," <i>Immunity</i> 8 :413-425
		Manning et al., (Feb. 1999), "Effects of complementarity determining region mutations on the affinity of alpha/beta T cell receptor: measuring the energy associated with CD4/CD8 repertoire skewing," <i>J. Exp. Med.</i> 189 (3):461-470
		Marks, J.D. et al., (Aug 1992), "Molecular Evolution of Proteins on Filamentous Phage," <i>J. Biol. Chem.</i> 267 (23):16007-16010
		Marks, J.D. et al., (1991), "By-passing Immunization. Human Antibodies from V-gene Libraries Displayed on Phage," <i>J. Mol. Biol.</i> 222 :581-597
		Martineau, P. et al., (July 1998), "Expression of an antibody fragment at high levels in the bacterial cytoplasm," <i>J. Mol. Biol.</i> 280 (1):117-127
		McCafferty, J. et al., (Dec 1990), "Phage antibodies: filamentous phage displaying antibody variable domains," <i>Nature</i> 348 :552-554
✓		Novotny, J. et al., (Oct 1991), "A soluble, single-chain T-cell receptor fragment endowed with antigen-combining properties," <i>Proc. Natl. Acad. Sci. USA</i> 88 :8646-8650
g		Nieba, L. et al., (April 1997), "Disrupting the hydrophobic patches at the antibody variable/constant domain interface: improved <i>in vivo</i> folding and physical characterization of an engineered scFv fragment," <i>Protein Eng.</i> 10 (4):435-444

Form PTO-1449		
ATTY DOCKET NO. 89-99	SERIAL NO. 09/731,242	FILING DATE December 6, 2000
APPLICANT Kranz et al.		GROUP 1645/636

gr		O'Herrin, S.M. et al., (Oct 1997), "Analysis of the Expression of Peptide-Major Histocompatibility Complexes Using High Affinity Soluble Divalent T Cell Receptors," J. Exp. Med 186:1333-1345
		Olsnes, S. and Pihl, A., "Chimeric Toxins" (1982), Pharmac. Ther. 25:355-381
		Rabinowitz et al., (Feb. 1996), " Kinetic discrimination in T-cell activation" Proc. Natl. Acad. Sci. USA 93:1401-1405
		Sant'Angelo, D.B. et al., (April 1996), "The Specificity and Orientation of a TCR to its Peptide-MHC Class II Ligands," Immunity 4:367-376
		Schlueter, C.J. et al., (1996), "A Residue in the Center of Peptide QL9 Affects Binding to Both L ^d and the T Cell Receptor ¹ ," J. Immunol. 157:4478-4485
		Schneck, J. et al., (Jan 1989), "Inhibition of an Allospecific T Cell Hybridoma by Soluble Class I Proteins and Peptides: Estimation of the Affinity of a T Cell Receptor for MHC," Cell 56:47-55
		Schodin, B.A. and Kranz, D.M., (Dec. 1993), "Binding Affinity and Inhibitory Properties of a Single-Chain Anti-T Cell Receptor Antibody," J. Biol. Chem. 268(34):25722-25727
		Schodin, B.A. et al., (1996) "Binding Properties and solubility of single-chain T cell receptors expressed in E. Coli" Mol. Immun.33(9):819-829
		Seibel, J.L. et al., (June 1997), "Influence of the NH ₂ -terminal Amino Acid of the T Cell Receptor α Chain on Major Histocompatibility Complex (MHC) Class II + Peptide Recognition," J. Exp. Med. 185(11):1919-1927
		Seth, A. et al., (May 1994), "Binary and ternary complexes between T-cell receptor, class II MHC and superantigen in vitro," Nature 369:324-327
		Sheets, M.D. et al., (May 1998), "Efficient construction of a large nonimmune phage antibody library: The production of high-affinity human single-chain antibodies to protein antigens," Cell Biology 95(11):6157-6162
		Shusta, E.V. et al., (April 1999), "Biosynthetic polypeptide libraries," Curr. Opin. Biotechnol. 10:117-122
		Shusta, E.V. et al., (Oct. 1999), "Yeast Polypeptide Fusion Surface Display Levels Predict Thermal Stability and Soluble Secretion Efficiency," J. Mol. Biol. 292:949-956
gr		Slanetz, A.E. and Bothwell, A.L., (1991), "Heterodimeric, disulfide-linked α / β T cell receptors in solution" Eur. J. Immunol. 21:179-183

Form PTO-1449		
ATTY DOCKET NO. 89-99	SERIAL NO. 09/731,242	FILING DATE December 6, 2000
APPLICANT Kranz et al.		GROUP 1645 / 636

92		Soo Hoo, W.F. et al., (May 1992), "Characterization of a single-chain T-cell receptor expressed in <i>Escherichia coli</i> ," Proc. Natl. Acad. Sci. USA 89:4759-4763
		Speir, J.A. et al., (May 1998), "Structural Basis of 2C TCR Allorecognition of H-2L ^d Peptide Complexes," Immunity 8:553-562
		Sykuley, Y. et al., "Kinetics and Affinity of Reactions between an Antigen-Specific T Cell Receptor and Peptide-MHC Complexes" (1994), Immunity 1:15-22
		Sykulev, Y. et al., (Nov 1994), "High-affinity reactions between antigen-specific T-cell receptors and peptides associated with allogeneic and syngeneic major histocompatibility complex class I proteins," Proc. Natl. Acad. Sci. USA 91:11487-11491
		Sykulev, Y. et al., (Dec. 1995) "The Law of mass action governs antigen-stimulated cytolytic activity of CD8 ⁺ cytotoxic T lymphocytes" Proc. Natl. Acad. Sci. USA 92:11990-11992
		Tjoa, B. and Kranz, D.M., (July 1992) "Diversity of T cell receptor-alpha chain transcripts from hyperimmune alloreactive T cells." J Immunol (United States) 149(1) 253-259
		Udaka, K. et al., (1993), "A ubiquitous protein is the source of naturally occurring peptides that are recognized by a CD8 ⁺ T-cell clone" Proc. Natl. Acad. Sci. USA 90:11272-11276
		Valitutti, S. et al., "Serial triggering of many T-cell receptors by a few peptide-MHC complexes" (May 1995), Nature 375:148-151
		Ward, E.S., (1991), "Expression and Secretion of T-Cell Receptor V α and V β Domains using <i>Escherichia coli</i> as a Host," Scand. J. Immunol. 34:215-220
		Ward, E.S., (1992), "Secretion of T Cell Receptor Fragments From Recombinant <i>Escherichia coli</i> Cells," J. Mol. Biol. 224:885-890
		Wedemayer, G.J. et al., "Structural Insights into the Evolution of an Antibody Combining Site" (June 1997), Science 276:1665-1669
		Weidanz, J.A. et al., (Dec. 1998), "Display of functional $\alpha\beta$ single-chain T-cell receptor molecules on the surface of bacteriophage," J. Immunol. Meth. 221:59-76
92		Willcox, B.E. et al., "TCR Binding to Peptide-MHC Stabilizes a Flexible Recognition Interface" (March 1999), Immunity 10:357-365

Form PTO-1449		
ATTY DOCKET NO. 89-99	SERIAL NO. 09/731,242	FILING DATE December 6, 2000
APPLICANT Kranz et al.		GROUP 1645 1636

92		Winter, G. et al., "Making Antibodies By Phage Display Technology" (1994) Annu. Rev. Immunol. 12:433-455
91		Wittrup, D.K., "Phage on Display" (Nov. 1999), Trends in Biotech. 17(11):423-424
92		Wolfe, M.S. et al., (Jan. 1998), A Substrate-Based Difluoro Ketone Selectively Inhibits Alzheimer's γ -Secretase Activity," J. Med. Chem. 41:6-9
EXAMINER <i>David Hugo</i> DATE CONSIDERED <i>9/1/02</i>		
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant:		

RECEIVED
TECH CENTER 1600/2900
0108-31 AM 2:29
Sheet 1 of 5

Form PTO-1449 09731,242

ATTY DOCKET NO.: 89-99	SERIAL NO.: 09731,242	FILING DATE: December 6, 2000
APPLICANT: Kranz et al.		GROUP: 1645 1636

Originally cited in Serial No. 09/009,388

U.S. PATENT DOCUMENTS

Exmr. Initial	Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate
<i>gr</i>	4,946,778	08/07/90	Ladner et al.	435	69.6	
<i> </i>	5,013,650	05/07/91	Carty	435	69.1	
<i> </i>	5,223,409	06/29/93	Ladner et al.	435	69.7	
<i> </i>	5,225,539	07/06/93	Winter			
<i> </i>	5,258,289	11/02/93	Davis			
<i> </i>	5,258,498	11/02/93	Huston et al.	530	350	
<i> </i>	5,260,203	11/09/93	Ladner et al.	435	172.3	
<i> </i>	5,316,922	05/31/94	Brown			
<i> </i>	5,403,484	04/04/95	Ladner et al.	435	235.1	
<i> </i>	5,411,873	05/02/95	Adams			
<i> </i>	5,427,908	06/27/95	Dower			
<i> </i>	5,482,858	01/09/96	Huston et al.	435	252.33	
<i> </i>	5,510,240	04/23/96	Lam			
<i> </i>	5,571,698	11/05/96	Ladner			
<i> </i>	5,580,717	01/20/96 ¹²⁻⁰³⁻⁹⁶	Dower			
<i> </i>	5,624,817	04/29/97	Miller et al.	435	69.1	
<i> </i>	5,723,286	03/03/98	Dower et al.	435	5	
<i> </i>	5,723,323	03/03/98	Kauffman et al.	435	172.3	
<i> </i>	5,733,743	03/31/98	Johnson et al.	435	69.1	
<i> </i>	5,763,192	06/09/98	Kauffman et al.	435	7.1	
<i> </i>	5,780,225	07/14/98	Wigler et al.	435	6	
<i>or</i>	5,814,476	09/29/98	Kauffman et al.	435	69.1	

PER
MS

Form PTO-1449			09/731, 242		
ATTY DOCKET NO.: 89-99		SERIAL NO.: 09/731,242		FILING DATE: December 6, 2000	
APPLICANT: Kranz et al.				GROUP: 1643 1686	

Originally cited in Serial No. 09/009,388

8c		5,817,483	10/06/98	Kauffman et al.	435	69.1	
		5,824,514	10/20/98	Kauffman et al.	435	91.1	
		5,837,500	11/17/98	Ladner et al.	435	69.7	
		5,858,657	01/12/99	Winter et al.	435	6	
		5,866,344	02/02/99	Georgiou	435	7.21	
		5,871,974	02/16/99	Huse	435	69.7	
		5,900,476	05/04/99	Ruggeri et al.	530	380	
		6,027,910	02/22/00	Klis et al.	435	41	
8c		6,114,147	09/05/00	Frenken et al.	435	69.7	

FOREIGN PATENT DOCUMENTS

		Document Number	Date	Country	Class	Subclass	Translation Yes/No
8c		WO94/18330	08/18/94	PCT			
8c		WO94/01567	20.01.94	PCT			
8c		WO98/49286	05.11.98	PCT			
8c		0 436 597 B1	02.04.97	EP			

OTHER PRIOR ART (including Author, Title, Date, Pertinent Pages, etc.)

8c			Alam et al., (June 1996), "T-cell-receptor Affinity and Thymocyte Positive Selection," <i>Nature</i> 381:616-620
8c			Anand, R. et al. (1992), "Progress in developing methylotrophic yeasts as expression systems." <i>TIBTECH</i> 10:413-417
8c			Bentley, G.A. and Mariuzza, R.A., (1996), "The Structure of the T Cell Antigen Receptor," <i>Annu. Rev. Immunol.</i> 14:563-590
8c			Boder, E.T. and Wittrup, K.D., (1997), "Yeast surface display for screening combinatorial plovpeptide libraries." <i>Nature Biotech.</i> 15(6):553-557

Form PTO-1449		
ATTY DOCKET NO.: 89-99	SERIAL NO.: 09/731,242	FILING DATE: December 6, 2000
APPLICANT: Kranz et al.		GROUP: 1645 / 636

Originally cited in Serial No. 09/009,388

92		Boder, E.T. and Wittrup, K.D. (1995), "A Yeast Surface Display System for <i>in vitro</i> Affinity Maturation of Antibodies," <i>Protein Interactions</i> , June 1-4, 1995, Beckman Institute, University of Illinois, Urbana. (Abstract Only)
1		Buckholz, R.G. and Gleeson, M.A.G. (1991), "Yeast Systems for the Commercial Production of Heterologous Proteins," <i>Bio/Technol.</i> 9:1067-1072
		Bjorkman, P.J., (Apr 1997), "MHC Restriction in Three Dimensions: A View of T Cell Receptor/Ligand Interactions," <i>Cell</i> 89:167-170
		Clackson et al., (Aug 1991), "Making Antibody Fragments Using Phage Display Libraries," <i>Nature</i> 352:624-628
		Cregg, J.M. et al. (1993), "Recent Advances in the Expression of Foreign Genes in <i>Pichia pastoris</i> ," <i>Bio/Technol.</i> 11:905-910
		Faber, K.N. et al. (1995), "Review: Methylotrophic Yeasts as Factories for the Production of Foreign Proteins," <i>Yeast</i> 11:1331-1344
		Fremont et al., (1996), "Biophysical Studies of T-cell Receptors and Their Ligands," <i>Curr. Opin. Immunol.</i> 8:93-100
		Hawkins, R.E. et al. (1992), "Selection of Phage Antibodies by Binding Affinity Mimicking Affinity Maturation," <i>J. Mol. Biol.</i> 226:889-896
		Hawkins, R.E. et al. (1993), "The Contribution of Contact and Non-contact Residues of Antibody in the Affinity of Binding to Antigen," <i>J. Mol. Biol.</i> 234:958-964
		Jung, S. and Plückthun (1997), "Improving <i>in vivo</i> folding and stability of a single-chain Fv antibody fragment by loop grafting," <i>Protein Eng.</i> 10(8):959-966
		Kieck, M.C. et al. (1997), "Isolation of anti-T cell receptor scFv mutants by yeast surface display," <i>Protein Eng.</i> 10(11):1303-1310
		Klis, F.M. (1994), "Review: Cell Wall Assembly in Yeast," <i>Yeast</i> 10:851-869
		Knappik, A. and Plückthun, A. (1995), "Engineered turns of a recombinant antibody improve its <i>in vivo</i> folding," <i>Protein Eng.</i> 8(1):81-89
		Lipke, P.N. and Kurjan, J., (Mar 1992), "Sexual Agglutination in Budding Yeasts: Structure, Function, and Regulation of Adhesion Glycoproteins," <i>Microbiological Reviews</i> pp. 180-194
✓		Lyons et al., (July 1996), "A TCR Binds to Antagonist Ligands with Lower Affinities and Faster Dissociation Rates Than to Agonists," <i>Immunity</i> 5:53-61
92		Margulies, D.H., (June 1996), "An Affinity for Learning," <i>Nature</i> 381:558-559

Form PTO-1449		
ATTY DOCKET NO.: 89-99	SERIAL NO.: 09/731,242	FILING DATE: December 6, 2000
APPLICANT: Kranz et al.		GROUP: 1635 / 636

Originally cited in Serial No. 09/009,388

je		Marx, J. (Jan 1995), "The T Cell Receptor Begins to Reveal Its Many Facets," <i>Science</i> 267:459-460
		Matsui et al., (Dec 1991), "Low Affinity Interaction of Peptide-MHC Complexes with T Cell Receptors," <i>Science</i> 254:1788-1791
		Matsui et al., (Dec 1994), "Kinetics of T-cell Receptor Binding to Peptide/I-E* Complexes: Correlation of the Dissociation Rate with T-cell Responsiveness," <i>Proc. Natl. Acad. Sci. USA</i> 91:12862-12866
		Nieba, L. et al. (1997), "Disrupting the hydrophobic patches at the antibody variable/constant domain interface: improved in vivo folding and physical characterization of an engineered scFv fragment," <i>Protein Eng.</i> 10(4):435-444
		O'Herrin et al., (Oct 1997), "Analysis of the Expression of Peptide-Major Histocompatibility Complexes Using High Affinity Soluble Divalent T Cell Receptors," <i>J. Exp. Med</i> 186:1333-1345
		Reich et al., (June 1997), "Ligand-specific Oligomerization of T-cell Receptor Molecules," <i>Nature</i> 387:617-620
		Ridder, R. et al. (1995), "Generation of Rabbit Monoclonal Antibody Fragments from a Combinatorial Phage Display Library and Their Production in the Yeast <i>Pichia pastoris</i> ," <i>Bio/Technol.</i> 13:255-259
		Romanos, M. (1995), "Advances in the use of <i>Pichia pastoris</i> for high-level gene expression," <i>Curr. Opinion in Biotechnol.</i> 6:527-533
		Romanos et al., (1992), "Foreign Gene Expression in Yeast: a Review," <i>Yeast</i> 8:423-488
		Schlueter et al., (1996), "Specificity and Binding Properties of a Single-chain T Cell Receptor," <i>J. Mol. Biol.</i> 256:859-869
		Schreuder et al., (Apr 1996), "Immobilizing Proteins on the Surface of Yeast Cells," <i>TIBTECH</i> 14:115-120
		Schodin et al., (1996), "Binding Properties and Solubility of Single-Chain T Cell Receptors Expressed in <i>E. Coli</i> ," <i>Molec. Immunol.</i> 33(9):819-829
		Sudbery, P.E. (1994), "The Non-Saccharomyces Yeasts," <i>Yeast</i> 10:1707-1726
		Syrulev et al., (Dec 1995), "The Law of Mass Action Governs Antigen-stimulated Cytolytic Activity of CD8 ⁺ cytotoxic T Lymphocytes," <i>Proc. Natl. Acad. Sci. USA</i> 92:11990-11992
je		Ulrich et al. (Dec 1995), "Expression Studies of Catalytic Antibodies," <i>Proceed. Natl. Acad. Sci.</i> 92:11907-11911

Form PTO-1449		
ATTY DOCKET NO.: 89-99	SERIAL NO.: 09/731,242	FILING DATE: December 6, 2000
APPLICANT: Kranz et al.		GROUP: 1645 / 6 3 6

Originally cited in Serial No. 09/009,388

<i>or</i>		<i>van der Vaart (Sept 1965), "Identification and Characterization of Cell Wall Proteins of Saccharomyces cerevisiae," Thesis, ISBN 90-393-1498-5 pp. 1-138</i>
<i>or</i>		<i>Weber et al., (Apr 1992), "Specific Low-affinity Recognition of Major Histocompatibility Complex Plus Peptide by Soluble T-cell Receptor," Nature 356:793-796</i>
EXAMINER <i>David J. Gyo</i> DATE CONSIDERED <i>9/1/02</i>		
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.		

12/20/89